



2020/2021

Energy Consumption and Greenhouse Gas Emission Report

for the

**THAMES VALLEY DISTRICT SCHOOL BOARD**

**Energy Consumption and Greenhouse Gas Emissions Reporting - for 2020**

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2020 - Aug/2021
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Thames Valley District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Propane Quantity	Propane Unit	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Comments
A. B. Lucas SS	School	656 Tennent AVE	LONDON	N5X1L8	14,958	Square meters	80	N/A	7	817,587	kWh	106,321	Cubic Meter			221,819	12.1	
A. J. Baker PS	School	195910 19th Line	KINTORE	NOM2C0	1,488	Square meters	60	N/A	4	102,593	kWh	21,926	Cubic Meter			44,064	21.0	
Aberdeen PS	School	580 Grey ST	LONDON	N6B1H8	3,846	Square meters	60	N/A	0	124,425	kWh	60,312	Cubic Meter			117,194	18.5	
Adelaide - W G MacDonald PS	School	29059 School RD RR 5	STRATHROY	N7G3H6	2,691	Square meters	60	N/A	0	240,770	kWh	28,243	Cubic Meter			59,524	18.7	
Aldborough PS	School	11443 Furnival RD	RODNEY	NOL2C0	3,537	Square meters	60	N/A	0	156,642	kWh	27,794	Cubic Meter			56,535	11.9	
Algonquin PS	School	59 Algonquin RD	WOODSTOCK	N4T1R8	6,133	Square meters	60	N/A	0	638,807	kWh	55,901	Cubic Meter			121,945	18.7	
Anandale PS	School	60 Tillson AVE	TILLSONBURG	N4G3A1	6,026	Square meters	60	N/A	0	392,488	kWh	78,698	Cubic Meter			158,776	18.9	
Arthur Ford PS	School	617 Viscount RD	LONDON	N6J2Y4	3,363	Square meters	60	N/A	6	174,739	kWh	36,197	Cubic Meter			72,883	15.5	
Arthur Stringer PS	School	43 SHAFTESBURY AVE	LONDON	N6C2Y5	3,090	Square meters	60	N/A	0	329,149	kWh	50,718	Cubic Meter			104,265	26.1	
Arthur Voaden SS	School	41 Flora ST	ST THOMAS	N5P2X5	16,342	Square meters	80	N/A	0	773,881	kWh	226,554	Cubic Meter			448,022	18.1	
Ashley Oaks PS	School	121 Ashley CRES	LONDON	N6E3W2	6,853	Square meters	60	N/A	1	602,871	kWh	76,703	Cubic Meter			160,359	19.2	
B. Davison SS	School	785 Trafalgar ST	LONDON	N5Z1E6	8,772	Square meters	80	N/A	0	419,320	kWh	158,143	Cubic Meter			309,661	22.2	
Balaclava Street Education Centre	School	20 Balaclava ST	ST THOMAS	N5P3C2	2,869	Square meters	50	N/A	0	65,939	kWh	65,712	Cubic Meter			125,915	24.7	
Blenheim District PS	School	32 Wilmot ST N GD	DRUMBO	N0J1G0	3,612	Square meters	60	N/A	0	316,599	kWh	20,435	Cubic Meter			46,692	13.7	
Blossom Park Education Centre	School	391 Blossom park RD	WOODSTOCK	N4S7J3	849	Square meters	50	N/A	0	43,076	kWh	16,161	Cubic Meter			31,651	23.5	
Bonaventure Meadows PS	School	141 Bonaventure DR	LONDON	N5V4S6	6,071	Square meters	60	N/A	0	563,829	kWh	39,963	Cubic Meter			89,904	15.1	
Byron Northview PS	School	1370 Commissioners RD W	LONDON	N6K1E1	3,996	Square meters	60	N/A	7	235,374	kWh	58,863	Cubic Meter			117,278	20.0	
Byron Somerset PS	School	175 Whisperwood AVE	LONDON	N6K4C6	5,774	Square meters	60	N/A	2	500,519	kWh	56,272	Cubic Meter			119,126	17.7	
Byron Southwood PS	School	1379 Lola ST	LONDON	N6K3R6	4,085	Square meters	60	N/A	1	213,534	kWh	45,441	Cubic Meter			91,346	15.8	
C C. Carrothers PS	School	360 Chippendale CRES	LONDON	N5Z3G2	3,742	Square meters	60	N/A	0	95,146	kWh	38,398	Cubic Meter			75,018	12.5	
Caradoc North PS	School	8041 Scotchmere DR RR 1	STRATHROY	N7G3H3	1,775	Square meters	60	N/A	1	137,967	kWh	20,287	Cubic Meter			41,866	18.5	
Caradoc PS	School	714 BOWAN ST E	MOUNT BRYDG	NOL1W0	3,992	Square meters	60	N/A	0	312,347	kWh	31,314	Cubic Meter			67,152	15.0	
Carrothers Field	School	357 Pall Mall Street	LONDON	N6B2G8	185	Square meters	60	N/A	0	10,064	kWh	5,006	Cubic Meter			9,721	31.8	
Cedar Hollow PS	School	1800 Cedarhollow Blvd.	LONDON	N5X0K3	7,334	Square meters	80	N/A	3	462,548	kWh	31,242	Cubic Meter			70,838	10.1	
Centennial Central PS	School	14774 Medway RD	ARVA	NOM1C0	2,901	Square meters	60	N/A	1	214,539	kWh	39,076	Cubic Meter			79,338	20.2	
Central Elgin CI	School	201 Chestnut ST	ST THOMAS	N5R2B5	9,190	Square meters	80	N/A	0	659,707	kWh	163,000	Cubic Meter			324,961	24.2	
Central PS	School	410 Hunter ST	WOODSTOCK	N4S4G4	4,195	Square meters	60	N/A	1	244,933	kWh	64,978	Cubic Meter			129,082	20.7	
Central SS	School	509 Waterloo ST	LONDON	N6B2P8	11,713	Square meters	80	N/A	0	992,816	kWh	93,342	Cubic Meter			201,740	15.7	
Chippewa PS	School	1035 Chippewa DR	LONDON	N5V2T6	5,845	Square meters	60	N/A	0	426,644	kWh	52,037	Cubic Meter			109,240	15.6	
Clara Brenton PS	School	1025 St. Croix Ave.	LONDON	N6H3X8	5,232	Square meters	60	N/A	8	353,205	kWh	57,751	Cubic Meter			118,175	17.2	
Clarke Road SS	School	300 Clarke RD	LONDON	N5W5N4	20,888	Square meters	80	N/A	0	1,362,043	kWh	153,489	Cubic Meter			324,852	13.3	
Cleardale PS	School	780 Dulaney DR	LONDON	N6C3W4	5,372	Square meters	60	N/A	0	290,821	kWh	58,629	Cubic Meter			118,247	15.8	
College Avenue SS	School	700 College AVE	WOODSTOCK	N4S2C8	14,810	Square meters	80	N/A	0	754,932	kWh	219,939	Cubic Meter			435,034	19.4	
Davenport PS	School	80 Rutherford AVE	AYLMER	N5H2N8	3,432	Square meters	60	N/A	0	161,350	kWh	37,735	Cubic Meter			75,449	15.2	
Delaware Central PS	School	14 Osborne Street	DELAWARE	NOL1E0	2,408	Square meters	60	N/A	0	105,732	kWh	26,770	Cubic Meter			53,302	15.1	
Dunwich-Dutton PS	School	239 Miller Road	DUTTON	NOL1J0	3,931	Square meters	60	N/A	2	240,543	kWh	30,500	Cubic Meter			63,785	13.3	
Eagle Heights PS	School	284 Oxford ST W	LONDON	N6H1S9	6,952	Square meters	60	N/A	18	630,531	kWh	50,973	Cubic Meter			112,417	15.7	
Ealing PS	School	840 Hamilton RD	LONDON	N5Z1V5	4,310	Square meters	60	N/A	0	121,142	kWh	67,532	Cubic Meter			130,760	18.1	
East Carling PS	School	814 Quebec ST	LONDON	N5Y1X4	4,604	Square meters	60	N/A	3	340,255	kWh	40,212	Cubic Meter			84,686	15.5	
East Elgin SS	School	362 Talbot ST W	AYLMER	N5H1K6	16,995	Square meters	80	N/A	1	929,492	kWh	252,789	Cubic Meter			501,584	19.8	
East Oxford Central PS	School	505767 Old stage RD RR 4	WOODSTOCK	N4S7V8	2,626	Square meters	60	N/A	0	57,663	kWh	35,734	Cubic Meter			69,026	15.5	
East Williams Memorial PS	School	4441 Queen St. RR 1	AILSA CRAIG	NOM1A0	2,466	Square meters	60	N/A	0	173,961	kWh	35,285	Cubic Meter			71,138	20.7	
Eastdale PS	School	65 Aileen DR	WOODSTOCK	N4S4A2	2,253	Square meters	60	N/A	0	134,396	kWh	27,265	Cubic Meter			54,968	17.5	
Education Centre	Administrative offices and related facil	1250 Dundas ST	LONDON	N5W5P2	11,843	Square meters	80	N/A	0	1,201,189	kWh	97,403	Cubic Meter			214,721	17.5	
Ekcoe Central PS	School	3719 Parkhouse RD RR 3	GLENCOE	NOL1M0	3,608	Square meters	60	N/A	3	233,159	kWh	33,297	Cubic Meter			68,885	15.1	
Elgin Court PS	School	254 First AVE	ST THOMAS	N5R4P5	3,771	Square meters	60	N/A	0	143,867	kWh	53,252	Cubic Meter			104,340	17.5	
Emily Carr PS	School	44 Hawthorne RD	LONDON	N6G2H5	6,509	Square meters	60	N/A	5	538,982	kWh	77,344	Cubic Meter			159,944	19.4	
Emily Stowe PS	School	1 Jerdon ST RR 1	NORWICH	N0J1P0	5,501	Square meters	60	N/A	0	401,568	kWh	43,046	Cubic Meter			91,603	14.5	
Eve Circe Cote FI PSI formerly)Spar	School	45885 Sparta LINE RR 4	ST THOMAS	N5P3S8	2,505	Square meters	60	N/A	0	114,540	kWh	25,911	Cubic Meter			57,575	15.6	
Evelyn Harrison PS	School	50 Tewksbury CRES	LONDON	N5V2M8	3,817	Square meters	60	N/A	0	113,193	kWh	60,931	Cubic Meter			118,079	18.5	

**Energy Consumption and Greenhouse Gas Emissions Reporting - for 2020**

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2020 - Aug/2021
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Thames Valley District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Propane Quantity	Propane Unit	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Comments
F. D. Roosevelt PS	School	560 Second ST	LONDON	N5V2B7	3,625	Square meters	60	N/A	0	242,633	kWh	50,051	Cubic Meter			100,801	19.9	
Facility Services - Corp. & Warehouse	Administrative offices and related facilities	951 Leathorne ST	LONDON	N5Z3M7	5,773	Square meters	80	N/A	0	448,474	kWh	98,889	Cubic Meter			198,375	24.1	CNG Fleet refueling system
Facility Services - Zone 3	Administrative offices and related facilities	745 Hounsfeld ST	WOODSTOCK	N4S1P6	530	Square meters	80	N/A	0	36,087	kWh	14,166	Cubic Meter			27,701	32.7	CNG Fleet refueling system
Facility Services - Zone 4	Administrative offices and related facilities	259 EDWARD ST	ST THOMAS	N5P4A9	753	Square meters	80	N/A	0	51,001	kWh	32,782	Cubic Meter			63,277	49.3	CNG Fleet refueling system
Facility Services - Zone 5	Administrative offices and related facilities	14766 Medway RD	ARVA	N0M1C0	482	Square meters	80	N/A	0	50,550	kWh	25,684	Cubic Meter			49,845	62.4	CNG Fleet refueling system
Fairmont PS	School	1040 Hamilton RD	LONDON	N5W1A6	3,292	Square meters	60	N/A	0	114,174	kWh	61,272	Cubic Meter			118,749	21.6	
Forest Park PS	School	295 Forest AVE	ST THOMAS	N5R2K5	4,271	Square meters	60	N/A	0	193,094	kWh	36,426	Cubic Meter			73,782	12.6	
G A Wheable Centre - Secondary School	School	70 Jacqueline ST	LONDON	N5Z3P7	15,210	Square meters	80	N/A	0	631,291	kWh	29,510	Cubic Meter			71,857	5.8	Enbridge data issue-Natural gas usage is LOW
Glen Cairn PS	School	53 Frontenac RD	LONDON	N5Z3Y5	7,963	Square meters	60	N/A	0	608,572	kWh	59,212	Cubic Meter			127,434	14.4	
Glencoe DHS	School	3581 Concession Dr	GLENCOE	N0L1M0	7,792	Square meters	80	N/A	0	497,593	kWh	138,057	Cubic Meter			273,677	23.4	
Glendale HS	School	37 Glendale DR	TILLSONBURG	N4G1J6	11,644	Square meters	80	N/A	0	763,692	kWh	172,754	Cubic Meter			346,048	20.7	
H B Beal SS	School	525 Dundas ST	LONDON	N6B1W5	28,664	Square meters	80	Yes	3	1,872,625	kWh	191,398	Cubic Meter			409,517	12.7	
Harrisfield PS	School	2 Caffyn ST	INGERSOLL	N5C3M8	5,403	Square meters	60	N/A	6	508,604	kWh	38,214	Cubic Meter			85,192	15.7	
Hickson Central PS	School	161 LOVEYS ST	HICKSON	N0J1L0	4,634	Square meters	60	N/A	6	206,514	kWh	73,124	Cubic Meter			143,506	19.7	
Hillcrest PS	School	1231 Fuller ST	LONDON	N5Y4P7	3,625	Square meters	60	N/A	0	140,097	kWh	40,961	Cubic Meter			81,006	14.7	
Huron Park SS	School	900 Cromwell ST	WOODSTOCK	N4S5B5	13,684	Square meters	80	N/A	0	708,234	kWh	175,845	Cubic Meter			350,480	17.5	
Ingersoll District CI	School	37 ALMA ST	INGERSOLL	N5C1N1	17,408	Square meters	80	N/A	0	679,746	kWh	273,211	Cubic Meter			533,838	19.1	
Innerkip Central PS	School	180 Coleman ST GD	INNERKIP	N0J1M0	2,865	Square meters	60	N/A	1	118,391	kWh	33,770	Cubic Meter			66,859	15.5	
J.S. Buchanan FI PS	School	248 Keefer ST	STRATHROY	N7G1E2	2,934	Square meters	60	N/A	0	160,646	kWh	37,007	Cubic Meter			74,055	17.5	
Jack Chambers PS	School	1650 Hastings DR	LONDON	N5X3E3	7,528	Square meters	80	N/A	4	641,464	kWh	94,635	Cubic Meter			195,244	20.3	
Jaffa Environmental Ed. Centre	School	48436 John wise LINE RR 5	AYLMER	N5H2R4	319	Square meters	40	N/A	1	35,443	kWh	3,083	Cubic Meter			6,731	19.9	
Jeanne Sauvé FI PS	School	215 Wharncliffe RD	LONDON	N6H2B6	4,313	Square meters	60	N/A	0	102,677	kWh	48,060	Cubic Meter			93,476	13.2	
John Dearness PS	School	555 SANATORIUM RD	LONDON	N6H3W6	2,355	Square meters	60	N/A	1	134,249	kWh	21,194	Cubic Meter			43,487	14.2	
John P Roberts PS	School	84 Bow ST	LONDON	N5V1B1	6,396	Square meters	60	N/A	0	446,346	kWh	51,766	Cubic Meter			109,229	14.5	
John Wise PS	School	100 Parkside DR	ST THOMAS	N5R3T9	5,327	Square meters	60	N/A	0	330,575	kWh	24,038	Cubic Meter			53,859	10.2	
June Rose Callwood PS	School	84 Edward ST	ST THOMAS	N5P1Y7	4,224	Square meters	60	N/A	2	271,648	kWh	24,398	Cubic Meter			53,041	11.7	
Kensal Park FI PS	School	328 Springbank DR	LONDON	N6J1G5	6,191	Square meters	60	N/A	4	586,499	kWh	57,958	Cubic Meter			124,501	18.0	
Kettle Creek PS	School	350 Carlow RD	PORT STANLEY	N5L1B6	3,436	Square meters	60	N/A	3	221,674	kWh	37,776	Cubic Meter			77,061	16.8	
Knollwood Park PS	School	70 Gammage ST	LONDON	N5Y2B1	4,523	Square meters	60	N/A	0	164,030	kWh	65,630	Cubic Meter			128,256	17.7	
Lambeth PS	School	6820 Duffield ST	LONDON	N6P1A4	5,952	Square meters	60	N/A	10	407,841	kWh	41,090	Cubic Meter			88,065	13.2	
Laurie Hawkins PS	School	156 Innes ST	INGERSOLL	N5C2R8	5,469	Square meters	60	N/A	0	312,698	kWh	36,346	Cubic Meter			76,674	11.9	
Lester B Pearson School for the Arts	School	795 Trafalgar ST	LONDON	N5Z1E6	4,924	Square meters	60	N/A	0	287,245	kWh	33,522	Cubic Meter			70,687	12.1	
Locke's PS	School	20 South edgeware RD	ST THOMAS	N5P2H2	5,640	Square meters	60	N/A	7	382,930	kWh	44,820	Cubic Meter			94,483	14.2	
London Env. Ed. Ctr. - Pond Mills	School	1095 POND VIEW RD	LONDON	N5Z4K2	459	Square meters	40	N/A	0	11,642	kWh	5,540	Cubic Meter			10,770	14.3	
London Env. Ed. Ctr. - Wellington Road	School	930 Western Counties Road	LONDON	N6C 4R3	381	Square meters	40	N/A	0	69,139	kWh					1,759	16.9	Ground Source Heat pumps
London South CI	School	371 Tecumseh AVE E	LONDON	N6C1T4	10,069	Square meters	80	N/A	0	557,419	kWh	79,793	Cubic Meter			165,044	13.0	
Lord Dorchester SS	School	61 Queen ST	DORCHESTER	N0L1G2	8,581	Square meters	80	N/A	0	395,151	kWh	135,800	Cubic Meter			266,803	19.9	
Lord Elgin PS	School	1100 Victoria DR	LONDON	N5Y4E2	3,066	Square meters	60	N/A	0	316,181	kWh	53,320	Cubic Meter			108,855	26.8	
Lord Nelson PS	School	1990 Royal CRES	LONDON	N5V1N8	5,923	Square meters	80	N/A	0	241,638	kWh	59,818	Cubic Meter			119,243	13.8	
Lord Roberts FI PS	School	440 Princess AVE	LONDON	N6B2B3	3,846	Square meters	60	N/A	3	140,545	kWh	52,703	Cubic Meter			103,219	16.9	
Louise Arbour FI PS	School	365 Belfield ST	LONDON	N5Y2K3	9,627	Square meters	60	N/A	0	795,935	kWh	47,800	Cubic Meter			110,628	12.6	
Maple Lane PS	School	25 Maple LANE	TILLSONBURG	N4G2Y8	2,920	Square meters	60	N/A	0	86,957	kWh	48,780	Cubic Meter			94,439	19.3	Closed
Mary Wright PS	School	213 Carroll ST W	STRATHROY	N7G1B1	5,316	Square meters	60	N/A	0	335,647	kWh	22,612	Cubic Meter			51,292	10.1	
Masonville PS	School	25 Hillview BLVD	LONDON	N6G3A7	3,872	Square meters	60	N/A	10	461,830	kWh	58,006	Cubic Meter			121,420	25.9	
McGillivray Central PS	School	34714 Creamery RD	AILSA CRAIG	N0M1A0	1,860	Square meters	60	N/A	0	84,378	kWh			38,112	Litre	60,877	17.6	
McGregor PS	School	204 John ST S	AYLMER	N5H2C8	4,348	Square meters	60	N/A	0	244,943	kWh	35,985	Cubic Meter			74,268	13.4	
Medway HS	School	14405 Medway RD	ARVA	N0M1C0	15,506	Square meters	80	N/A	0	1,461,550	kWh	144,288	Cubic Meter			309,989	17.9	
Mitchell Hepburn PS	School	95 Raven AVE	ST THOMAS	N5R0C2	5,811	Square meters	60	N/A	4	422,602	kWh	22,517	Cubic Meter			53,326	10.6	
Montcalm SS	School	1350 Highbury AVE N	LONDON	N5Y1B5	19,039	Square meters	80	N/A	0	1,269,901	kWh	186,305	Cubic Meter			384,549	15.9	
Mosa Central PS	School	22741 Pratt siding RD RR 1	GLENCOE	N0L1M0	2,033	Square meters	60	N/A	0	106,671	kWh	36,560	Cubic Meter			71,836	22.6	

**Energy Consumption and Greenhouse Gas Emissions Reporting - for 2020**

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2020 - Aug/2021
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Thames Valley District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Propane Quantity	Propane Unit	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Comments
Mountsfield PS	School	8 Mountsfield DR	LONDON	N6C2S4	4,765	Square meters	60	N/A	0	166,100	kWh	49,430	Cubic Meter			97,681	13.5	
New Sarum PS	School	9473 Belmont RD RR 3	ST THOMAS	N5P3S7	3,028	Square meters	60	N/A	0	145,471	kWh	44,348	Cubic Meter			87,547	18.9	
Nicholas Wilson PS	School	927 Osgoode DR	LONDON	N6E1C9	3,086	Square meters	60	N/A	0	272,686	kWh	37,818	Cubic Meter			78,439	20.3	
North Meadows PS	School	82 Middlesex DR	STRATHROY	N7G4G5	4,704	Square meters	60	N/A	0	529,658	kWh	59,429	Cubic Meter			125,836	22.9	
North Middlesex DHS	School	100 Main St	PARKHILL	N0M2K0	6,657	Square meters	80	N/A	0	447,867	kWh	103,897	Cubic Meter			207,827	21.7	
Northbrae PS	School	335 Belfield ST	LONDON	N5Y2K3	4,273	Square meters	80	N/A	4	262,628	kWh	58,423	Cubic Meter			117,140	19.2	
Northdale Central PS	School	3860 Catherine St	DORCHESTER	N0L1G0	3,034	Square meters	60	N/A	0	263,568	kWh	50,821	Cubic Meter			102,790	24.6	
Northdale PS	School	290 Victoria ST N	WOODSTOCK	N4S6W5	2,768	Square meters	60	N/A	3	208,415	kWh	37,397	Cubic Meter			76,008	20.3	
Northridge PS	School	25 Mclean DR	LONDON	N5X1Y2	5,177	Square meters	60	N/A	0	392,990	kWh	53,734	Cubic Meter			111,592	17.3	
Oakridge SS	School	1040 Oxford ST W	LONDON	N6H1V4	14,522	Square meters	80	N/A	1	1,146,933	kWh	129,830	Cubic Meter			274,648	16.2	
Oliver Stephens PS	School	164 Fyfe AVE	WOODSTOCK	N4S3S6	3,706	Square meters	60	N/A	0	308,774	kWh	34,194	Cubic Meter			72,506	16.9	
Orchard Park PS	School	50 Wychwood PK	LONDON	N6G1R6	2,589	Square meters	60	N/A	0	133,727	kWh	27,877	Cubic Meter			56,107	15.4	
Oxbow PS	School	13624 Ilderton RD	ILDERTON	N0M2A0	4,057	Square meters	60	N/A	3	259,651	kWh	45,033	Cubic Meter			91,748	16.9	
P.E. Trudeau FI PS	School	112 Churchill CRES	ST THOMAS	N5R 1R1	4,511	Square meters	60	No	0	208,755	kWh	37,838	Cubic Meter			76,850	12.6	
Parkhill-West Williams PS	School	204 McLeod St	PARKHILL	N0M2K0	2,377	Square meters	60	N/A	0	244,581	kWh	14,315	Cubic Meter			33,289	15.5	
Parkside CI	School	241 Sunset DR	ST THOMAS	N5R3C2	13,928	Square meters	80	N/A	1	1,239,115	kWh	102,709	Cubic Meter			225,718	15.5	
Parkview PS	School	10008 Oxbow DR	KOMOKA	N0L1R0	4,376	Square meters	60	N/A	2	290,309	kWh	39,015	Cubic Meter			81,151	15.0	
Plattsville & District PS	School	112 Mill St E	PLATTSVILLE	N0J1S0	2,730	Square meters	80	N/A	0	159,828	kWh	33,544	Cubic Meter			67,486	17.6	
Port Burwell PS	School	30 Strachan Street	PORT BURWELL	N0J1T0	2,131	Square meters	60	N/A	0	82,892	kWh	22,827	Cubic Meter			45,266	14.2	
Prince Charles PS	School	1601 Wavell ST	LONDON	N5W2C9	5,337	Square meters	60	N/A	0	159,828	kWh	66,175	Cubic Meter			129,179	15.0	
Princess Anne FI PS	School	191 Dawn DR	LONDON	N5W4W9	4,123	Square meters	60	N/A	4	175,714	kWh	53,836	Cubic Meter			106,255	16.9	
Princess Elizabeth PS	School	247 Thompson RD	LONDON	N5Z2Z3	7,051	Square meters	60	N/A	7	314,952	kWh	62,119	Cubic Meter			125,459	12.8	
Rick Hansen PS	School	70 Ponderosa CRES	LONDON	N6E2L7	4,082	Square meters	80	N/A	0	278,175	kWh	28,805	Cubic Meter			61,539	13.3	
River Heights PS	School	4269 Hamilton RD	DORCHESTER	N0L1G3	3,387	Square meters	60	N/A	0	142,389	kWh	54,816	Cubic Meter			107,261	19.9	
Riverside PS	School	550 Pinetree DR	LONDON	N6H3N1	4,271	Square meters	60	N/A	2	196,320	kWh	37,238	Cubic Meter			75,400	12.9	
Roch Carrier FI PS	School	840 Sloane ST	WOODSTOCK	N4S7V3	3,102	Square meters	60	N/A	12	267,764	kWh	35,047	Cubic Meter			73,074	19.2	
Royal Roads PS	School	210 King ST E	INGERSOLL	N5C1H2	4,213	Square meters	60	N/A	2	265,322	kWh	26,132	Cubic Meter			56,157	12.0	
Ryerson PS	School	940 Waterloo ST	LONDON	N6A3X3	4,387	Square meters	60	N/A	3	180,740	kWh	62,736	Cubic Meter			123,209	17.9	
Saunders SS	School	941 Viscount RD	LONDON	N6K1H5	28,500	Square meters	80	N/A	0	1,797,380	kWh	348,293	Cubic Meter			704,233	17.9	
Sir Arthur Currie PS	School	2435 Buroak Dr.	LONDON	N6G0L1	7,046	Square meters	80	N/A	12	448,452	kWh	29,417	Cubic Meter			67,029	10.0	
Sir F. Banting Annex	School	127 Sherwood forest SQ	LONDON	N6G2C3	1,316	Square meters	60	N/A	4	171,765	kWh	12,023	Cubic Meter			27,102	21.1	
Sir Frederick Banting SS	School	125 Sherwood forest SQ	LONDON	N6G2C3	19,828	Square meters	80	N/A	2	1,232,004	kWh	152,555	Cubic Meter			319,777	13.4	
Sir Georges Etienne Cartier PS	School	695 CHIDDINGTON AVE	LONDON	N6C2W9	2,799	Square meters	60	N/A	7	229,105	kWh	32,312	Cubic Meter			66,921	19.0	
Sir Isaac Brock PS	School	80 ST LAWRENCE BLVD	LONDON	N6J2X1	3,760	Square meters	60	N/A	11	391,562	kWh	37,486	Cubic Meter			80,837	19.5	
Sir John A. Macdonald PS	School	1150 Landor ST	LONDON	N5Y3W3	6,077	Square meters	80	N/A	0	236,232	kWh	81,397	Cubic Meter			159,904	16.8	
Sir Wilfrid Laurier SS	School	450 Millbank DR	LONDON	N6C4W7	14,929	Square meters	80	N/A	6	1,111,899	kWh	158,041	Cubic Meter			327,093	17.4	
South Dorchester PS	School	48614 Crossely Hunter Line	BELMONT	N0L1B0	1,680	Square meters	60	N/A	2	97,830	kWh	27,157	Cubic Meter			53,833	21.4	
South Ridge PS	School	10 South ridge RD	TILLSONBURG	N4G0C1	3,816	Square meters	60	N/A	0	259,718	kWh	41,827	Cubic Meter			85,688	17.1	
Southside PS	School	360 Albert ST	WOODSTOCK	N4S2L4	3,619	Square meters	60	N/A	1	181,984	kWh	29,719	Cubic Meter			60,819	12.8	
Southwold PS	School	39261 Fingal LINE RR 1	ST THOMAS	N5P3S5	5,154	Square meters	60	N/A	1	305,171	kWh	63,938	Cubic Meter			128,649	17.8	
Springbank PS	School	1060 Sprucedale RD	WOODSTOCK	N4S4Z9	4,388	Square meters	60	N/A	10	400,343	kWh	35,042	Cubic Meter			76,439	16.4	
Springfield PS	School	51336 Ron mcneil LINE GD	SPRINGFIELD	N0L2J0	2,244	Square meters	60	N/A	0	109,445	kWh	35,031	Cubic Meter			69,016	19.9	
St. George's PS	School	782 Waterloo ST	LONDON	N6A3W4	4,146	Square meters	60	N/A	3	237,848	kWh	34,157	Cubic Meter			70,630	13.5	
Stoney Creek PS	School	1335 Nicole AVE	LONDON	N5X4M7	6,983	Square meters	60	N/A	8	465,169	kWh	27,863	Cubic Meter			64,515	10.1	
Stoneybrook PS	School	1460 Stoneybrook CRES	LONDON	N5X1C4	3,424	Square meters	60	N/A	4	352,684	kWh	39,649	Cubic Meter			83,936	21.0	
Straffordville PS	School	9188 Shank RD GD	STRAFFORDVILLE	N0J1Y0	4,161	Square meters	60	N/A	0	131,642	kWh	50,360	Cubic Meter			98,561	14.9	
Strathroy DCI	School	361 Second ST	STRATHROY	N7G4J8	15,327	Square meters	80	N/A	0	2,283,805	kWh	182,479	Cubic Meter			403,118	25.6	
Summers' Corners PS	School	50576 Talbot ST E RR 1	AYLMER	N5H2R1	5,718	Square meters	60	N/A	0	351,403	kWh	48,180	Cubic Meter			100,034	14.0	
Tavistock PS	School	79 Maria St	TAVISTOCK	N0B2R0	3,951	Square meters	60	N/A	0	168,242	kWh	55,085	Cubic Meter			108,427	17.7	
Tecumseh PS	School	401 Tecumseh AVE E	LONDON	N6C1T4	4,162	Square meters	60	N/A	0	107,619	kWh	65,943	Cubic Meter			127,412	18.0	

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2020

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2020 - Aug/2021
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Thames Valley District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Propane Quantity	Propane Unit	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Comments
Thamesford PS	School	130 McCarty St	THAMESFORD	N0M2M0	3,130	Square meters	60	N/A	2	209,185	kWh	29,543	Cubic Meter			61,178	15.5	
Tollgate Central FI PS	School	744993 OXFORD ROAD 17 RR 6	WOODSTOCK	N4S7W1	1,313	Square meters	60	N/A	0	26,123	kWh	22,804	Cubic Meter			43,779	19.0	Closed
Trafalgar PS	School	919 Trafalgar ST	LONDON	N5Z1G3	4,099	Square meters	60	N/A	0	92,985	kWh	47,278	Cubic Meter			91,752	13.5	
Tweedsmuir PS	School	349 Tweedsmuir AVE	LONDON	N5W1L5	3,952	Square meters	60	N/A	5	192,833	kWh	38,722	Cubic Meter			78,116	14.2	
University Heights PS	School	27 Ford CRES	LONDON	N6G1H8	3,136	Square meters	60	N/A	1	237,398	kWh	20,997	Cubic Meter			45,738	13.6	
Valleyview Central PS	School	10339 Ilderton RD	ILDERTON	N0M2A0	1,891	Square meters	60	N/A	0	68,737	kWh	17,814	Cubic Meter			35,429	12.7	
Vansittart Woods Env. Ed Centre	School	Blanford Road at Township Road	WOODSTOCK	N4S7V9	420	Square meters	40	N/A	0	29,777	kWh			17,733	Litre	28,084	34.2	
Victoria PS	School	130 Wharncliffe RD S	LONDON	N6J2K5	4,099	Square meters	60	N/A	0	125,634	kWh	40,849	Cubic Meter			80,428	12.7	
W. Sherwood Fox PS	School	660 Steeplechase DR	LONDON	N6J3P4	5,751	Square meters	60	N/A	3	531,572	kWh	37,107	Cubic Meter			83,682	15.0	
West Elgin Sr PS	School	145 Graham ST	WEST LORNE	N0L2P0	3,270	Square meters	50	N/A	0	244,970	kWh	28,711	Cubic Meter			60,516	15.6	Partially closed
West Elgin SS	School	139 Graham ST	WEST LORNE	N0L2P0	8,894	Square meters	80	N/A	0	637,489	kWh	171,385	Cubic Meter			340,248	25.7	
West Nissouri PS	School	37 Elliott TRAIL RR 1	THORNDALE	N0M2P0	4,089	Square meters	60	N/A	6	332,122	kWh	22,506	Cubic Meter			51,003	13.0	
West Oaks FI PS	School	1050 Plantation RD	LONDON	N6H2Y5	4,832	Square meters	60	N/A	2	244,210	kWh	24,789	Cubic Meter			53,082	9.8	
Westfield PS	School	102 Dereham Dr	TILLSONBURG	N4G0G5	5,391	Square meters	60	N/A	1	270,606	kWh	23,523	Cubic Meter			51,359	9.0	
Westminster Central PS	School	2835 Westminster DR	LONDON	N6N1L7	2,612	Square meters	80	N/A	0	99,203	kWh	32,922	Cubic Meter			64,767	16.0	
Westminster SS	School	230 Base line RD W	LONDON	N6J1W1	14,391	Square meters	60	N/A	0	748,540	kWh	140,168	Cubic Meter			284,054	14.4	
Westmount PS	School	1011 Viscount RD	LONDON	N6K1H5	6,018	Square meters	80	N/A	0	389,522	kWh	48,033	Cubic Meter			100,725	13.9	
White Oaks PS	School	565 Bradley AVE	LONDON	N6E3Z8	13,439	Square meters	105	Yes	4	1,749,933	kWh	238,277	Cubic Meter			495,026	29.6	
Wilberforce PS	School	340 Beech ST	LUCAN	N0M2J0	4,910	Square meters	80	N/A	7	446,492	kWh	26,360	Cubic Meter			61,199	13.7	
Wilfrid Jury PS	School	950 Lawson RD	LONDON	N6G3M2	8,516	Square meters	80	N/A	0	804,403	kWh	59,665	Cubic Meter			133,275	15.7	
Wilton Grove PS	School	626 Osgoode DR	LONDON	N6E1C1	5,084	Square meters	60	N/A	1	332,403	kWh	55,027	Cubic Meter			112,494	16.8	
Winchester Street PS	School	110 WINCHESTER ST	WOODSTOCK	N4S7K5	4,272	Square meters	60	N/A	2	292,018	kWh	37,718	Cubic Meter			78,741	15.1	
Woodland Heights PS	School	474 Springbank DR	LONDON	N6J1G8	5,452	Square meters	60	N/A	0	244,044	kWh	70,184	Cubic Meter			138,903	16.9	
Woodstock CI	School	35 Riddell ST	WOODSTOCK	N4S6L9	8,851	Square meters	80	N/A	0	378,846	kWh	124,749	Cubic Meter			245,494	17.9	
Wortley Road PS	School	301 Wortley RD	LONDON	N6C3R6	3,499	Square meters	60	N/A	1	194,159	kWh	43,289	Cubic Meter			86,784	17.4	
Zorra Highland Park PS	School	376368 37th LINE RR 1	EMBRO	N0J1J0	3,204	Square meters	60	N/A	0	89,850	kWh			58,694	Litre	92,733	14.6	