



Thames Valley
District School Board

2023/2024

Energy Consumption and Greenhouse Gas Emission Report

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
A. B. Lucas SS	School	656 Tennent AVE	LONDON	N5X1L8	14958	72	7		734854	3856.3		6501.7	0.44	122.2	220.3	14.8	
A. J. Baker PS	School	195910 19th Line	KINTORE	N0M2C0	1488	60	5		135604	853.9		1342.1	0.96	266.7	47.8	34.0	
Aberdeen PS	School	580 Grey ST	LONDON	N6B1H8	3846	60	0		136659	2141.4		2633.4	0.68	188.9	112.5	29.3	
Adelaide - W G MacDonald PS	School	29059 School RD RR 5	STRATHROY	N7G3H6	2691	60	0		224676	860.2		1669	0.62	172.2	51.3	19.1	
Aldborough PS	School	11443 Furnival RD	RODNEY	N0L2C0	3537	60	0		225035	1434		2244.1	0.63	175.0	80.2	22.7	
Algonquin PS	School	59 Algonquin RD	WOODSTOCK	N4T1R8	6133	65	6		684410	2949.4		5413.2	0.82	227.8	172.9	26.2	
Annapdale PS	School	60 Tillson AVE	TILLSONBURG	N4G3A1	6026	60	0		412413	2379.6		3864.2	0.64	177.8	134.4	22.3	
Arthur Ford PS	School	617 Viscount RD	LONDON	N6J2Y4	3363	60	5		173249	1255.8		1879.5	0.57	158.3	69.4	21.1	
Arthur Stringer PS	School	43 SHAFTESBURY AVE	LONDON	N6C2Y5	3090	60	0		287465	1425.7		2460.6	0.8	222.2	82.0	26.6	
Arthur Voaden SS	School	41 Flora ST	ST THOMAS	N5P2X5	16342	60	0		888778	5800.2		8999.7	0.55	152.8	323.5	19.8	
Ashley Oaks PS	School	121 Ashley CRES	LONDON	N6E3W2	6853	65	2		700663	2655.8		5178.1	0.75	208.3	158.7	22.9	
B. Davison SS	School	785 Trafalgar ST	LONDON	N5Z1E6	8772	50	0		384284	4674.7		6058.1	0.69	191.7	248.8	28.4	
Balaclava Street Education Centre	School	20 Balaclava ST	ST THOMAS	N5P3C2	2869	50	0		12597	1535.6		1580.9	0.55	152.8	77.6	27.1	Closed
Blenheim District PS	School	32 Wilmot ST N GD	DRUMBO	N0J1G0	3612	60	0		290663	825.6		1871.9	0.52	144.4	52.0	14.4	
Blossom Park Education Centre	School	391 Blossom park RD	WOODSTOCK	N4S7J3	849	50	0		45159	655.2		817.8	0.96	266.7	34.6	40.8	
Bonaventure Meadows PS	School	141 Bonaventure DR	LONDON	N5V4S6	6071	65	0		544313	1619.5		3579	0.59	163.9	101.0	16.6	
Byron Northview PS	School	1370 Commissioners RD W	LONDON	N6K1E1	3996	60	7		244398	2428.7		3308.5	0.83	230.6	130.9	32.8	
Byron Somerset PS	School	175 Whisperwood AVE	LONDON	N6K4C6	5774	65	9		540025	1452.2		3396.3	0.59	163.9	92.4	16.2	
Byron Southwood PS	School	1379 Lola ST	LONDON	N6K3R6	4085	60	7		209947	1683.1		2438.9	0.62	172.2	92.1	23.4	
C C. Carrothers PS	School	360 Chippendale CRES	LONDON	N5Z3G2	3742	60	1		224881	1504.6		2314.1	0.62	172.2	83.7	22.4	
Caradoc North PS	School	8041 Scotchmere DR RR 1	STRATHROY	N7G3H3	1775	60	2		162684	1011.9		1597.6	0.87	241.7	56.7	30.8	
Caradoc PS	School	714 BOWAN ST E	MOUNT BRYDGES	N0L1W0	3992	60	5		368985	1106.6		2434.9	0.56	155.6	68.9	15.8	
Carrothers Field	School	357 Pall Mall Street	LONDON	N6B2G8	185	50	0		3495	107		119.6	0.65	180.6	5.5	29.9	Sports Field and Field house
Cedar Hollow PS	School	1800 Cedarhollow Blvd.	LONDON	N5X0K3	7334	65	5		457527	1035.3		2682.3	0.35	97.2	68.5	9.1	
Centennial Central PS	School	14774 Medway RD	ARVA	N0M1C0	2901	60	1		220934	1273		2068.3	0.71	197.2	71.9	24.8	
Central Elgin CI	School	201 Chestnut ST	ST THOMAS	N5R2B5	9190	60	0		595476	3269.2		5412.8	0.59	163.9	185.7	20.2	
Central PS	School	410 Hunter ST	WOODSTOCK	N4S4G4	4195	60	8		323239	1965.9		3129.5	0.66	183.3	110.4	23.4	

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
Central SS	School	509 Waterloo ST	LONDON	N6B2P8	11713	65	0		973265	4820.8		8324.4	0.71	197.2	277.3	23.7	
Chippewa PS	School	1035 Chippewa DR	LONDON	N5V2T6	5845	60	0		392651	1519.4		2932.9	0.5	138.9	90.5	15.5	
Clara Brenton PS	School	1025 St. Croix Ave.	LONDON	N6H3X8	5232	60	6		315694	1978.8		3115.2	0.61	169.4	110.8	21.8	
Clarke Road SS	School	300 Clarke RD	LONDON	N5W5N4	20888	65	0		1592216	5826.8		11558.5	0.55	152.8	350.2	16.8	
Cleardale PS	School	780 Dulaney DR	LONDON	N6C3W4	5372	60	0		297928	1809.4		2881.9	0.54	150.0	101.7	18.9	
College Avenue SS	School	700 College AVE	WOODSTOCK	N4S2C8	14810	60	0		1008676	7857.9		11489	0.78	216.7	431.2	29.1	
Davenport PS	School	80 Rutherford AVE	AYLMER	N5H2N8	3432	60	0		150424	1320.9		1862.4	0.54	150.0	71.8	20.9	
Delaware Central PS	School	14 Osborne Street	DELAWARE	N0L1E0	2408	60	2		126856	665.4		1122.1	0.45	125.0	38.0	15.3	
Dunwich-Dutton PS	School	239 Miller Road	DUTTON	N0L1J0	3931	60	4		280030	1311		2319	0.57	158.3	76.0	18.6	
Eagle Heights PS	School	284 Oxford ST W	LONDON	N6H1S9	6952	60	17		643610	2026.1		4343	0.62	172.2	125.0	18.0	
Ealing PS	School	840 Hamilton RD	LONDON	N5Z1V5	4310	60	0		109823	2091.8		2487.1	0.58	161.1	109.1	25.3	
East Carling PS	School	814 Quebec ST	LONDON	N5Y1X4	4604	65	1		348744	1332.9		2588.4	0.58	161.1	79.5	17.9	
East Elgin SS	School	362 Talbot ST W	AYLMER	N5H1K6	16995	60	1		947309	10719.5		14129.6	0.83	230.6	572.8	33.7	
East Oxford Central PS	School	505767 Old stage RD RR 4	WOODSTOCK	N4S7V8	2626	60	0		121478	1272		1709.3	0.65	180.6	68.3	26.0	
East Williams Memorial PS	School	4441 Queen St. RR 1	AILSA CRAIG	N0M1A0	2466	60	0		150818	988.5		1531.4	0.62	172.2	55.1	22.4	
Eastdale PS	School	65 Aileen DR	WOODSTOCK	N4S4A2	2253	60	1		159117	982.8		1555.6	0.69	191.7	55.1	24.5	
Education Centre	Administrative offices and related facilities	1250 Dundas ST	LONDON	N5W5P2	11843	65	0		1151268	3513.6		7658	0.65	180.6	218.0	18.4	
Ekcoe Central PS	School	3719 Parkhouse RD RR 3	GLENCOE	N0L1M0	3608	60	2		209158	1136.8		1889.8	0.54	150.0	64.7	18.3	
Elgin Court PS	School	254 First AVE	ST THOMAS	N5R4P5	3771	60	0		166422	1779.9		2379	0.63	175.0	95.4	25.3	
Emily Carr PS	School	44 Hawthorne RD	LONDON	N6G2H5	6509	60	5		652486	2899.1		5247.9	0.82	227.8	169.2	26.6	
Emily Stowe PS	School	1 Jerdon ST RR 1	NORWICH	N0J1P0	5501	60	0		476374	1302.4		3017.3	0.55	152.8	82.6	15.0	
Eve Circe Cote FI PS	School	45885 Sparta LINE RR 4	ST THOMAS	N5P3S8	2505	60	0		127768	1003.1		1463	0.58	161.1	55.0	22.0	
Evelyn Harrison PS	School	50 Tewksbury CRES	LONDON	N5V2M8	3817	60	0		173828	1322.4		1948.2	0.51	141.7	72.7	19.1	
F. D. Roosevelt PS	School	560 Second ST	LONDON	N5V2B7	3625	60	0		193526	2117.6		2814.3	0.78	216.7	113.4	31.3	
Facility Services - Corp. & Warehouse	Administrative offices and related facilities	951 Leathorne ST	LONDON	N5Z3M7	5773	50	0		413637	3257.8		4746.8	0.82	227.8	178.6	30.9	CNG Fleet refueling system
Facility Services - Zone 3	Administrative offices and related facilities	745 Hounsfield ST	WOODSTOCK	N4S1P6	530	50	0		34097	939		1061.7	2	555.6	48.4	91.4	CNG Fleet refueling system
Facility Services - Zone 4	Administrative offices and related facilities	259 EDWARD ST	ST THOMAS	N5P4A9	753	50	0		48706	1205.3		1380.7	1.83	508.3	62.3	82.8	CNG Fleet refueling system

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
Facility Services - Zone 5	Administrative offices and related facilities	14766 Medway RD	ARVA	N0M1C0	482	50	1		53333	1049.3		1241.3	2.22	616.7	54.7	97.9	CNG Fleet refueling system
Fairmont PS	School	1040 Hamilton RD	LONDON	N5W1A6	3292	60	0		35196	1756.5		1883.2	0.57	158.3	89.5	27.2	Closed
Forest Park PS	School	295 Forest AVE	ST THOMAS	N5R2K5	4271	60	0		233661	1065.3		1906.5	0.45	125.0	62.0	14.5	
G A Wheable Centre	School	70 Jacqueline ST	LONDON	N5Z3P7	15210	50	0		644120	7383.7		9702.4	0.64	177.8	394.3	25.9	
Glen Cairn PS	School	53 Frontenac RD	LONDON	N5Z3Y5	7963	60	0		573338	1937.6		4001.5	0.5	138.9	118.0	14.8	
Glencoe DHS	School	3581 Concession Dr	GLENCOE	N0L1M0	7792	60	0		469185	3762.3		5451.3	0.7	194.4	206.0	26.4	
Glendale HS	School	37 Glendale DR	TILLSONBURG	N4G1J6	11644	60	0		722222	7141.8		9741.7	0.84	233.3	384.9	33.1	
H B Beal SS	School	525 Dundas ST	LONDON	N6B1W5	28664	65	3	YES	2021223	4433.7		11709.8	0.41	113.9	295.6	10.3	
Harrisfield PS	School	2 Caffyn ST	INGERSOLL	N5C3M8	5403	60	4		423591	1349.4		2874.3	0.55	152.8	83.1	15.8	
Hickson Central PS	School	161 LOVEYS ST	HICKSON	N0J1L0	4634	60	9		292334	1980.3		3032.6	0.65	180.6	110.0	23.4	
Hillcrest PS	School	1231 Fuller ST	LONDON	N5Y4P7	3625	60	0		150632	1509.5		2051.7	0.57	158.3	81.3	22.4	
Huron Park SS	School	900 Cromwell ST	WOODSTOCK	N4S5B5	13684	60	0		650588	6675		9017.1	0.66	183.3	358.9	26.2	
Ingersoll District CI	School	37 ALMA ST	INGERSOLL	N5C1N1	17408	65	0		693795	7613.5		10111.1	0.58	161.1	407.6	23.4	
Innerkip Central PS	School	180 Coleman ST GD	INNERKIP	N0J1M0	2865	60	2		130507	1071.7		1541.5	0.52	144.4	58.6	19.9	
J.S. Buchanan FI PS	School	248 Keefer ST	STRATHROY	N7G1E2	2934	60	0		204824	1239.4		1976.7	0.67	186.1	69.7	23.8	
Jack Chambers PS	School	1650 Hastings DR	LONDON	N5X3E3	7528	65	1		752682	3471.5		6181	0.85	236.1	201.6	27.6	
Jaffa Environmental Ed. Centre	School	48436 John wise LINE RR 5	AYLMER	N5H2R4	319	50	1		33017	120.1		238.9	0.75	208.3	7.2	22.8	
Jeanne Sauvé FI PS	School	215 Wharncliffe RD N	LONDON	N6H2B6	4313	60	0		127619	1758.3		2217.7	0.51	141.7	93.0	21.6	
John Dearness PS	School	555 SANATORIUM RD	LONDON	N6H3W6	2355	60	2		127251	809.5		1267.5	0.52	144.4	45.3	18.7	
John P Robarts PS	School	84 Bow ST	LONDON	N5V1B1	6396	60	0		444839	2010.4		3611.7	0.58	161.1	117.1	18.9	
John Wise PS	School	100 Parkside DR	ST THOMAS	N5R3T9	5327	60	0		355094	737.1		2015.4	0.38	105.6	49.8	9.4	
June Rose Callwood PS	School	84 Edward ST	ST THOMAS	N5P1Y7	4224	60	1		296408	717.8		1784.9	0.43	119.4	46.8	11.3	
Kensal Park FI PS	School	328 Springbank DR	LONDON	N6J1G5	6191	60	2		731455	2685.1		5318.2	0.9	250.0	161.3	27.2	
Kettle Creek PS	School	350 Carlow RD	PORT STANLEY	N5L1B6	3436	60	6		236749	956.9		1809.2	0.51	141.7	56.6	15.8	
Knollwood Park PS	School	70 Gammage ST	LONDON	N5Y2B1	4523	60	0		157364	2339.1		2905.5	0.64	177.8	123.2	27.3	
Lambeth PS	School	6820 Duffield ST	LONDON	N6P1A4	5952	60	11		513930	1195.6		3045.6	0.51	141.7	78.6	13.1	
Laurie Hawkins PS	School	156 Innes ST	INGERSOLL	N5C2R8	5469	60	0		303173	868.6		1959.9	0.36	100.0	54.6	10.0	

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
Lester B Pearson School for the Arts	School	795 Trafalgar ST	LONDON	N5Z1E6	4924	60	0		300735	1023.9		2106.5	0.43	119.4	62.3	12.7	
Locke's PS	School	20 South edgeware RD	ST THOMAS	N5P2H2	5640	60	7		390097	1278.6		2682.9	0.48	133.3	78.3	13.9	
London Env. Ed. Ctr. - Pond Mills	School	1095 POND VIEW RD	LONDON	N5Z4K2	459	50	0		14850	175.1		228.5	0.5	138.9	9.3	20.4	
London Env. Ed. Ctr. - Westminster Ponds	School	696 Wellington RD	LONDON	N6C4R2	146	50	0		38772			139.6	0.37	102.8	1.4	3.7	Geothermal Heatpump
London South CI	School	371 Tecumseh AVE E	LONDON	N6C1T4	10069	65	1		586113	2512.4		4622.3	0.46	127.8	147.4	14.5	
Lord Dorchester SS	School	61 Queen ST	DORCHESTER	N0L1G2	8581	60	0		427327	4069.5		5607.8	0.65	180.6	219.9	25.6	
Lord Elgin PS	School	1100 Victoria DR	LONDON	N5Y4E2	3066	60	1		465285	2813.3		4488.2	1.43	397.2	158.1	50.4	
Lord Nelson PS	School	1990 Royal CRES	LONDON	N5V1N8	5923	65	0		247478	2030.5		2921.4	0.49	136.1	111.0	18.7	
Lord Roberts FI PS	School	440 Princess AVE	LONDON	N6B2B3	3846	60	3		137371	1746.1		2240.6	0.58	161.1	92.7	24.1	
Louise Arbour FI PS	School	365 Belfield ST	LONDON	N5Y2K3	9627	60	0		770023	2225.3		4997.3	0.52	144.4	139.6	14.5	
Mary Wright PS	School	213 Carroll ST W	STRATHROY	N7G1B1	5316	60	0		366289	828.4		2147	0.4	111.1	54.8	10.3	
Masonville PS	School	25 Hillview BLVD	LONDON	N6G3A7	3872	60	6		400085	1667		3107.2	0.88	244.4	98.2	27.7	
McGillivray Central PS	School	34714 Creamery RD	AILSA CRAIG	N0M1A0	1860	60	0		89716		896.5	1219.5	0.66	183.3	57.9	31.2	
McGregor PS	School	204 John ST S	AYLMER	N5H2C8	4348	60	0		229983	1361.2		2189.1	0.5	138.9	76.7	17.6	
Medway HS	School	14405 Medway RD	ARVA	N0M1C0	15506	60	0		1369902	2989.8		7921.2	0.51	141.7	199.6	12.9	
Mitchell Hepburn PS	School	95 Raven AVE	ST THOMAS	N5R0C2	5811	60	2		396896	519.9		1948.6	0.34	94.4	40.4	7.1	
Montcalm SS	School	1350 Highbury AVE N	LONDON	N5Y1B5	19039	60	0		1188891	14599.7		18879.6	0.99	275.0	776.5	40.8	
Mosa Central PS	School	22741 Pratt siding RD RR 1	GLENCOE	N0L1M0	2033	60	0		114771	971.5		1384.6	0.68	188.9	53.0	26.1	
Mountsfield PS	School	8 Mountsfield DR	LONDON	N6C2S4	4765	60	1		211534	1600.4		2361.9	0.49	136.1	88.0	18.2	
New Sarum PS	School	9473 Belmont RD RR 3	ST THOMAS	N5P3S7	3028	60	0		176120	801.5		1435.5	0.47	130.6	46.6	15.4	
Nicholas Wilson PS	School	927 Osgoode DR	LONDON	N6E1C9	3086	60	0		265789	1277.3		2234.1	0.72	200.0	73.8	23.9	
North Meadows PS	School	82 Middlesex DR	STRATHROY	N7G4G5	4704	60	0		584356	3008		5111.6	1.09	302.8	172.2	36.6	
North Middlesex DHS	School	100 Main St	PARKHILL	N0M2K0	6657	60	0		420250	3440.3		4953.1	0.74	205.6	188.0	28.3	
Northbrae PS	School	335 Belfield ST	LONDON	N5Y2K3	4273	65	5		324273	1725		2892.4	0.68	188.9	98.4	23.1	
Northdale Central PS	School	3860 Catherine St	DORCHESTER	N0L1G0	3034	60	0		240215	1885.9		2750.6	0.91	252.8	103.4	34.1	
Northdale PS	School	290 Victoria ST N	WOODSTOCK	N4S6W5	2768	60	4		235654	1167.1		2015.4	0.66	183.3	67.1	21.9	
Northridge PS	School	25 Mclean DR	LONDON	N5X1Y2	5177	60	0		383114	1429.3		2808.4	0.54	150.0	85.6	16.5	

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
Oakridge SS	School	1040 Oxford ST W	LONDON	N6H1V4	14522	65	1		1067177	4018.5		7860.2	0.54	150.0	240.4	16.6	
Oliver Stephens PS	School	164 Fyfe AVE	WOODSTOCK	N4S3S6	3706	60	1		287223	1206.9		2240.9	0.6	166.7	71.0	19.2	
Orchard Park PS	School	50 Wychwood PK	LONDON	N6G1R6	2589	60	1		148128	895.8		1429.1	0.54	150.0	50.4	18.9	
Oxbow PS	School	13624 Ilderton RD	ILDERTON	N0M2A0	4057	60	4		282417	1903.1		2919.8	0.71	197.2	105.8	25.7	
Parkhill-West Williams PS	School	204 McLeod St	PARKHILL	N0M2K0	2377	60	0		211578	491.3		1253	0.53	147.2	32.3	13.6	
Parkside CI	School	241 Sunset DR	ST THOMAS	N5R3C2	13928	65	1		1003453	3067.2		6679.5	0.48	133.3	190.3	13.7	
Parkview PS	School	10008 Oxbow DR	KOMOKA	N0L1R0	4376	60	1		240568	1197.2		2063.2	0.48	133.3	68.8	16.0	
Pierre Elliott Trudeau French Immersion	School	112 Churchill CRES	ST THOMAS	N5R 1R1	4511	60	0		211578	2445.3		3207	0.71	197.2	130.5	28.9	
Plattsville & District PS	School	112 Mill St E	PLATTSVILLE	N0J1S0	2730	65	0		199731	1263.3		1982.4	0.73	202.8	70.7	25.9	
Port Burwell PS	School	30 Strachan Street	PORT BURWELL	N0J1T0	2131	60	0		85803	650.5		959.3	0.45	125.0	35.8	16.8	
Prince Charles PS	School	1601 Wavell ST	LONDON	N5W2C9	5337	60	0		231693	2535.8		3369.9	0.63	175.0	135.8	25.5	
Princess Anne FI PS	School	191 Dawn DR	LONDON	N5W4W9	4123	60	2		213636	1936.7		2705.7	0.68	188.9	105.0	26.5	
Princess Elizabeth PS	School	247 Thompson RD	LONDON	N5Z2Z3	7051	60	1		277366	2470.2		3468.7	0.52	144.4	134.1	19.9	
Rick Hansen PS	School	70 Ponderosa CRES	LONDON	N6E2L7	4082	65	0		301797	910.1		1996.5	0.49	136.1	56.6	13.9	
River Heights PS	School	4269 Hamilton RD	DORCHESTER	N0L1G3	3387	60	0		267793	2638.9		3602.9	1.04	288.9	142.3	41.1	
Riverside PS	School	550 Pinetree DR	LONDON	N6H3N1	4271	60	3		226059	1292.1		2105.9	0.49	136.1	73.1	17.1	
Roch Carrier FI PS	School	840 Sloane ST	WOODSTOCK	N4S7V3	3102	60	10		296211	1371.8		2438.1	0.83	230.6	79.6	27.0	
Royal Roads PS	School	210 King ST E	INGERSOLL	N5C1H2	4213	60	2		251886	776.9		1683.6	0.4	111.1	48.1	11.4	
Ryerson PS	School	940 Waterloo ST	LONDON	N6A3X3	4387	60	5		190325	1968.7		2653.8	0.59	163.9	105.8	23.4	
Saunders SS	School	941 Viscount RD	LONDON	N6K1H5	28500	70	0		2038047	7413.3		14749.9	0.52	144.4	445.9	15.7	
Sir Arthur Currie PS	School	2435 Buroak Dr.	LONDON	N6G0L1	7046	65	16		507349	1126.4		2952.8	0.42	116.7	74.9	10.7	
Sir F. Banting Annex	School	127 Sherwood forest SQ	LONDON	N6G2C3	1316	50	4		207791	225.4		973.4	0.73	202.8	18.8	14.2	
Sir Frederick Banting SS	School	125 Sherwood forest SQ	LONDON	N6G2C3	19828	65	1		1193488	5014.8		9311.2	0.47	130.6	295.0	14.9	
Sir Georges Etienne Cartier PS	School	695 CHIDDINGTON AVE	LONDON	N6C2W9	2799	60	7		230329	1096.3		1925.5	0.69	191.7	63.4	22.7	
Sir Isaac Brock PS	School	80 ST LAWRENCE BLVD	LONDON	N6J2X1	3760	60	12		501423	1493.7		3298.8	0.86	238.9	93.1	24.4	
Sir John A. Macdonald PS	School	1150 Landor ST	LONDON	N5Y3W3	6077	65	0		234170	2773.9		3616.8	0.6	166.7	147.8	24.3	
Sir Wilfrid Laurier SS	School	450 Millbank DR	LONDON	N6C4W7	14929	65	6		895573	3521.9		6745.8	0.45	125.0	209.2	14.0	

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
South Dorchester PS	School	48614 Crossely Hunter Line	BELMONT	N0L1B0	1680	60	8		168086	1148.1		1753.2	0.82	227.8	63.8	30.0	
South Ridge PS	School	10 South ridge RD	TILLSONBURG	N4G0C1	3816	60	0		288355	1147.2		2185.2	0.57	158.3	68.0	17.8	
Southside PS	School	360 Albert ST	WOODSTOCK	N4S2L4	3619	60	2		196886	965.9		1674.6	0.46	127.8	55.6	15.4	
Southwold PS	School	39261 Fingal LINE RR 1	ST THOMAS	N5P3S5	5154	60	1		310900	1520.5		2639.7	0.51	141.7	87.6	17.0	
Springbank PS	School	1060 Sprucedale RD	WOODSTOCK	N4S4Z9	4388	60	4		327119	1120.8		2298.4	0.52	144.4	68.1	15.3	
Springfield PS	School	51336 Ron mcneil LINE GD	SPRINGFIELD	N0L2J0	2244	60	0		136420	217.6		708.7	0.32	88.9	15.9	7.1	
St. George's PS	School	782 Waterloo ST	LONDON	N6A3W4	4146	60	5		253117	1051.7		1962.8	0.46	127.8	62.0	14.4	
Stoney Creek PS	School	1335 Nicole AVE	LONDON	N5X4M7	6983	60	7		515042	1051.5		2905.6	0.41	113.9	71.4	10.1	
Stoneybrook PS	School	1460 Stoneybrook CRES	LONDON	N5X1C4	3424	60	5		378287	1441.4		2803.2	0.82	227.8	86.1	25.3	
Straffordville PS	School	9188 Plank RD GD	STRAFFORDVILLE	N0J1Y0	4161	60	0		138984	1929.9		2430.2	0.58	161.1	102.0	24.5	
Strathroy DCI	School	361 Second ST	STRATHROY	N7G4J8	15327	65	0		2183503	6701.6		14561.9	0.95	263.9	415.4	27.2	
Summers' Corners PS	School	50576 Talbot ST E RR 1	AYLMER	N5H2R1	5718	65	0		337112	1636.5		2850	0.5	138.9	94.4	16.5	
Summerside P.S.	School	2541 Meadowgate Blvd	London	N6M 1L8	5496	66	12		531156	2966.5		4878.6	0.84	233.3	168.2	28.9	
Tavistock PS	School	79 Maria St	TAVISTOCK	N0B2R0	3951	60	1		183458	1828.2		2488.7	0.63	175.0	98.5	24.9	
Tecumseh PS	School	401 Tecumseh AVE E	LONDON	N6C1T4	4162	60	0		114046	2069.3		2479.8	0.6	166.7	108.1	26.0	
Thamesford PS	School	130 McCarty St	THAMESFORD	N0M2M0	3130	60	4		284696	877.1		1902	0.59	163.9	54.3	17.0	
Tollgate Central FI PS	School	744993 OXFORD ROAD 17 RR 6	WOODSTOCK	N4S7W1	1313	0	0		26550	685.4		780.9	0.6	166.7	35.4	27.0	Closed
Trafalgar PS	School	919 Trafalgar ST	LONDON	N5Z1G3	4099	60	0		92422	1489		1821.7	0.44	122.2	78.2	19.1	
Tweedsmuir PS	School	349 Tweedsmuir AVE	LONDON	N5W1L5	3952	65	0		210914	1263.7		2022.9	0.57	158.3	71.1	20.0	
University Heights PS	School	27 Ford CRES	LONDON	N6G1H8	3136	60	1		236226	754.5		1604.8	0.51	141.7	46.4	14.8	
Valleyview Central PS	School	10339 Ilderton RD	ILDERTON	N0M2A0	1891	60	0		75710	655.6		928.1	0.49	136.1	35.7	18.9	
Vansittart Woods Env. Ed Centre	School	Blanford Road at Township Road 3, RR 5	WOODSTOCK	N4S7V9	420	40	0		15473		130.7	186.4	0.44	122.2	8.5	20.4	
Victoria PS	School	130 Wharmcliffe RD S	LONDON	N6J2K5	4099	60	0		177126	1320.1		1957.8	0.48	133.3	72.7	17.7	
W. Sherwood Fox PS	School	660 Steeplechase DR	LONDON	N6J3P4	5751	65	4		487286	1371		3125.2	0.55	152.8	86.4	15.1	
West Elgin Sr PS	School	145 Graham ST	WEST LORNE	N0L2P0	3270	60	0		203406	1106.1		1838.3	0.56	155.6	62.9	19.2	
West Elgin SS	School	139 Graham ST	WEST LORNE	N0L2P0	8894	60	0		579769	4678.6		6765.7	0.76	211.1	256.0	28.8	
West Nissouri PS	School	37 Elliott TRAIL RR 1	THORNDALE	N0M2P0	4089	60	6		338557	975.1		2193.8	0.55	152.8	61.2	15.3	

Property Name	Operation	Address	City	Postal Code	Gross Floor Area(M ²)	Weekly Average Hours	Number of Portables	Swimming pool	Electricity Use - Grid Purchase (kWh)	Natural Gas Use (GJ)	Propane Use (GJ)	Site Energy Use (GJ)	Site EUI (GJ/m ²)	Site EUI (EkWh/m ²)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)	Total (Location-Based) GHG Emissions Intensity (kgCO2e/m ²)	Comments
West Oaks FI PS	School	1050 Plantation RD	LONDON	N6H2Y5	4832	60	1		275928	963.6		1956.9	0.41	113.9	58.4	12.3	
Westfield PS	School	102 Dereham Dr	TILLSONBURG	N4G0G5	5391	60	3		317470	913.9		2056.7	0.37	102.8	57.4	10.4	
Westminster Central PS	School	2835 Westminster DR	LONDON	N6N1L7	2612	0	0		14038	861.9		912.4	0.35	97.2	43.8	16.8	Closed
Westminster SS	School	230 Base line RD W	LONDON	N6J1W1	14391	60	0		711224	725.7		3286	0.23	63.9	62.1	4.3	
Westmount PS	School	1011 Viscount RD	LONDON	N6K1H5	6018	60	0		416004	1566.8		3064.3	0.52	144.4	93.7	15.9	
White Oaks PS	School	565 Bradley AVE	LONDON	N6E3Z8	13439	72	10	YES	1753380	9351.7		15663.6	1.14	316.7	533.1	38.8	
Wilberforce PS	School	340 Beech ST	LUCAN	N0M2J0	4910	60	10		483937	891		2633.1	0.53	147.2	62.2	12.5	
Wilfrid Jury PS	School	950 Lawson RD	LONDON	N6G3M2	8516	65	6		914682	1841.5		5134.2	0.58	161.1	125.5	14.2	
Wilton Grove PS	School	626 Osgoode DR	LONDON	N6E1C1	5084	65	1		328185	1703.1		2884.5	0.58	161.1	97.4	19.5	
Winchester Street PS	School	110 WINCHESTER ST	WOODSTOCK	N4S7K5	4272	60	0		339094	1702.3		2922.9	0.71	197.2	97.8	23.8	
Woodland Heights PS	School	474 Springbank DR	LONDON	N6J1G8	5452	60	0		322169	2211.1		3370.9	0.62	172.2	122.7	22.5	
Woodstock CI	School	35 Riddell ST	WOODSTOCK	N4S6L9	8851	60	0		397077	3423		4852.4	0.55	152.8	186.3	21.1	
Wortley Road PS	School	301 Wortley RD	LONDON	N6C3R6	3499	60	0		142814	920.1		1434.2	0.42	116.7	51.4	15.0	
Zorra Highland Park PS	School	376368 37th LINE RR 1	EMBRO	N0J1J0	3204	60	1		203483		1660.3	2392.8	0.75	208.3	108.6	33.9	